ELSEVIER

Brain Research 821 (1999) 551–553

BRAIN RESEARCH

Author Index

Abdelmalek, A., Ayad, G. and Thornton, S.N.
Cardiovascular effects of catecholamines injected into the DBB of rats, influence of urethane anaesthesia and local colchicine (821) 50
Agid, Y., see Lambeng, N. (821) 60
Aicher, S.A., see Milner, T.A. (821) 200
Akaike, N., see Komatsu, H. (821) 160
Akiguchi, I., see Kawamoto, Y. (821) 341
Alster, P., see Lucas, G.A. (821) 79
Ambrogi Lorenzini, C., see Baldi, E. (821) 503
Ambrosio, E., see Martín, S. (821) 350
Amir, S., see Beaulé, C. (821) 95
Andrés, R., see Martí, O. (821) 1
Andrieu, J.P., see Koubi, D. (821) 111
Armario, A., see Martí, O. (821) 1
Ayad, G., see Abdelmalek, A. (821) 50

Baldi, E., Ambrogi Lorenzini, C., Sacchetti, B., Tassoni, G. and Bucherelli, C.
Effects of combined medial septal area, fimbria–fornix and entorhinal cortex tetrodotoxin inactivations on passive avoidance response consolidation in the rat (821) 503
Bargmann, C.I., see Komatsu, H. (821) 160
Bates, T.E., see Keelan, J. (821) 124
Beaulé, C. and Amir, S.
Photic entrainment and induction of immediate-early genes within the rat circadian system (821) 95
Besson, J.-M., see Rivot, J.-P. (821) 101
Biggs, K.R. and Prosser, R.A.
Neuropeptide Y blocks $GABA_B$-induced phase-shifts of the suprachiasmatic circadian clock in vitro (821) 461
Billington, C.J., see Sweet, D.C. (821) 535
Blank, T., see Nijholt, I. (821) 374
Bobillier, P., see Koubi, D. (821) 111
Bodnar, R.J., see Krzanowska, E.K. (821) 224
Boo, N., see LeVine, S.M. (821) 511
Brown, I.R. and Rush, S.J.
Cellular localization of the heat shock transcription factors HSF1 and HSF2 in the rat brain during postnatal development and following hyperthermia (821) 333
Bruce, V., Olivieri, G., Eickelberg, O. and Miescher, G.C.
Functional activation of EphA5 receptor does not promote cell proliferation in the aberrant EphA5 expressing human glioblastoma U-118 MG cell line (821) 169
Brugg, B., see Lambeng, N. (821) 60
Brundin, P., see Karlsson, J. (821) 546
Bucherelli, C., see Baldi, E. (821) 503

Casebeer, D., see Faingold, C. (821) 392
Cepok, S., see Nijholt, I. (821) 374
Chaki, S., see Okuyama, S. (821) 150
Chamberlain, M., see Johnson, M.P. (821) 539
Chandler, S.H., see Tanaka, S. (821) 190
Chang, C.F., see Khoo, K.M. (821) 17
Chang, W.-Y., see Chou, Y.-C. (821) 516
Chase, T.N., see Oh, J.D. (821) 433
Chavkin, C., see Jin, W. (821) 286
Chen, C.-F., see Chou, Y.-C. (821) 516
Chikada, N., see Harada, S. (821) 322
Chitravanshi, V.C. and Sapru, H.N.
Phrenic nerve responses to chemical stimulation of the subregions of ventral medullary respiratory neuronal group in the rat (821) 443
Chou, Y.-C., Liao, J.-F., Chang, W.-Y., Lin, M.-F. and Chen, C.-F.
Binding of dimemorfan to sigma-1 receptor and its anticonvulsant and locomotor effects in mice, compared with dextromethorphan and dextrorphan (821) 516
Christ, G., see Rehman, J. (821) 414
Clark, J.B., see Keelan, J. (821) 124
Clarke, D.J., see Karlsson, J. (821) 546
Clusmann, H., see Friedl, M. (821) 117
Cooper, A.J., see Griffiths, M.R. (821) 177
Corchero, J., see Martín, S. (821) 350
Crespo, J.A., see Martín, S. (821) 350

DeMaria, J.E., see VanNess, J.M. (821) 263
Demura, H., see Harada, S. (821) 322
Dietrich, D., see Friedl, M. (821) 117
Dobretsov, M., Hastings, S.L. and Stimers, J.R.
Non-uniform expression of α subunit isoforms of the Na^+/K^+ pump in rat dorsal root ganglia neurons (821) 212

Eickelberg, O., see Bruce, V. (821) 169
Evans, L.D., see Gill, C.F. (821) 251

Faingold, C. and Casebeer, D.
Modulation of the audiogenic seizure network by noradrenergic and glutamatergic receptors of the deep layers of superior colliculus (821) 392
Faraci, F.M. and Sobey, C.G.
Role of soluble guanylate cyclase in dilator responses of the cerebral microcirculation (821) 368
Feldman, S. and Weidenfeld, J.
Glucocorticoid receptor antagonists in the hippocampus modify the negative feedback following neural stimuli (821) 33

Friedl, M., Clusmann, H., Kral, T., Dietrich, D. and Schramm, J.
Analysing metabotropic glutamate group III receptor mediated modulation of synaptic transmission in the amygdala-kindled dentate gyrus of the rat (821) 117
Fuchs, P.N., Roza, C., Sora, I., Uhl, G. and Raja, S.N.
Characterization of mechanical withdrawal responses and effects of μ-, δ- and κ-opioid agonists in normal and μ-opioid receptor knockout mice (821) 480
Fuentes, J.A., see Martín, S. (821) 350

Gagnon, J., see Koubi, D. (821) 111
Galea, L.A.M., Perrot-Sinal, T.S., Kavaliers, M. and Ossenkopp, K.-P.
Relations of hippocampal volume and dentate gyrus width to gonadal hormone levels in male and female meadow voles (821) 383
Gao, F. and Wu, S.M.
Multiple types of spontaneous excitatory synaptic currents in salamander retinal ganglion cells (821) 487
García-Lecumberri, C., see Martín, S. (821) 350
Gernert, M., Richter, A. and Löscher, W.
Alterations in spontaneous single unit activity of striatal subdivisions during ontogenesis in mutant dystonic hamsters (821) 277
Gharib, A., see Koubi, D. (821) 111
Gibson, M.J., see Rajendren, G. (821) 270
Gill, C.F., Madden, J.M., Roberts, B.P., Evans, L.D. and King, M.S.
A subpopulation of neurons in the rat rostral nucleus of the solitary tract that project to the parabrachial nucleus express glutamate-like immunoreactivity (821) 251
Grafelmann, B., see Nijholt, I. (821) 374
Gregory, J.E., see Wise, A.K. (821) 87
Griffiths, M.R., Mitchell, I.J. and Cooper, A.J.
Phencyclidine induces D-1 dopamine receptor mediated Fos-like immunoreactivity in discretely localised populations of striatopallidal and striatoentopeduncular neurons in the rat (821) 177

Harada, S., Imaki, T., Chikada, N., Naruse, M. and Demura, H.
Distinct distribution and time-course changes in neuronal nitric oxide synthase and inducible NOS in the paraventricular nucleus following lipopolysaccharide injection (821) 322

Harbuz, M.S., see Martí, O. (821) 1
Hastings, S.L., see Dobretsov, M. (821) 212
Hattori, N., see Yagyu, K. (821) 530
Hiruma, Y., see Tsuruoka, M. (821) 236
Hitoto, T., see Tsuruoka, M. (821) 236
Hlavacka, F., Shupert, C.L. and Horak, F.B.
The timing of galvanic vestibular stimulation affects responses to platform translation (821) 8
Ho, I.K., see Jang, C.-G. (821) 520
Hoffmann, O., see Lucas, G.A. (821) 79
Hohl, C.M., see Litsky, M.L. (821) 426
Horak, F.B., see Hlavacka, F. (821) 8
Houdeau, E., see Prud'homme, M.-J. (821) 141
Hoxworth, J.M., Xu, K., Zhou, Y., Lust, W.D. and LaManna, J.C.
Cerebral metabolic profile, selective neuron loss, and survival of acute and chronic hyperglycemic rats following cardiac arrest and resuscitation (821) 467

Ichikawa, H., Morgan, J.I. and Sugimoto, T.
Peptide 19 in the dorsal root ganglion and the mesencephalic trigeminal tract nucleus of the adult rat (821) 231
Ichiki, T., see Okuyama, S. (821) 150
Ida, T., Nakahara, K., Katayama, T., Murakami, N. and Nakazato, M.
Effect of lateral cerebroventricular injection of the appetite-stimulating neuropeptide, orexin and neuropeptide Y, on the various behavioral activities of rats (821) 526
Imagawa, Y., see Okuyama, S. (821) 150
Imaki, T., see Harada, S. (821) 322
Inagaki, C., see Yagyu, K. (821) 530
Inagami, T., see Okuyama, S. (821) 150
Irie, T., see Yagyu, K. (821) 530

Jang, C.-G., Rockhold, R.W. and Ho, I.K.
Withdrawal from butorphanol dependence alters binding of [^{3}H]phorbol dibutyrate to protein kinase C, but not of [^{3}H]forskolin to adenylate cyclase (821) 520
Jin, W. and Chavkin, C.
Mu opioids enhance mossy fiber synaptic transmission indirectly by reducing $GABA_B$ receptor activation (821) 286
Jin, Y.-H., see Komatsu, H. (821) 160
Johnson, G.V.W., see Woolf, N.J. (821) 241
Johnson, G.V.W., see Woolf, N.J. (821) 241
Johnson, M.P., Chamberlain, M. and Kelly, G.M.
Phosphoinositide hydrolysis in vivo with group I metabotropic glutamate receptor agonists (821) 539
Jurkowitz, M.S., see Litsky, M.L. (821) 426

Karlsson, J., Love, R.M., Clarke, D.J. and Brundin, P.
Effects of anaesthetics and lazaroid U-83836E on survival of transplanted rat dopaminergic neurones (821) 546
Katayama, T., see Ida, T. (821) 526
Kavaliers, M., see Galea, L.A.M. (821) 383
Kawamata, T., see Kawamoto, Y. (821) 341
Kawamoto, Y., Nakamura, S., Kawamata, T., Akiguchi, I. and Kimura, J.
Cellular localization of brain-derived neurotrophic factor-like immunoreactivity in adult monkey brain (821) 341
Kaynan, A., see Rehman, J. (821) 414
Keelan, J., Bates, T.E. and Clark, J.B.
Heightened resistance of the neonatal brain to ischemia-reperfusion involves a lack of mitochondrial damage in the nerve terminal (821) 124
Kelly, G.M., see Johnson, M.P. (821) 539
Khoo, K.M. and Chang, C.F.
Characterization and localization of CD38 in the vertebrate eye (821) 17
Kimura, J., see Kawamoto, Y. (821) 341
King, M.S., see Gill, C.F. (821) 251
Kish, S.J., see Ross, B.M. (821) 407
Kitagawa, K., see Yagyu, K. (821) 530
Kogo, M., see Tanaka, S. (821) 190
Komatsu, H., Jin, Y.-H., L'Etoile, N., Mori, I., Bargmann, C.I., Akaike, N. and Ohshima, Y.
Functional reconstitution of a heteromeric cyclic nucleotide-gated channel of *Caenorhabditis elegans* in cultured cells (821) 160
Kotz, C.M., see Sweet, D.C. (821) 535
Koubi, D., Gharib, A., Gagnon, J., Andrieu, J.P., Bobillier, P. and Sarda, N.
Early and prolonged widespread increase in brain protein synthesis following a single electroconvulsive shock in free-moving rats (821) 111
Kral, T., see Friedl, M. (821) 117
Krnjević, K., see Ye, J.H. (821) 26
Krzanowska, E.K. and Bodnar, R.J.
Morphine antinociception elicited from the ventrolateral periaqueductal gray is sensitive to sex and gonadectomy differences in rats (821) 224
Kügler, H., see Nijholt, I. (821) 374

Lakshmana, M.K., see Shankaranarayana Rao, B.S. (821) 218
LaManna, J.C., see Hoxworth, J.M. (821) 467
Lambeng, N., Michel, P.P., Brugg, B., Agid, Y. and Ruberg, M.
Mechanisms of apoptosis in PC12 cells irreversibly differentiated with nerve growth factor and cyclic AMP (821) 60
Lee, A., see Milner, T.A. (821) 200
L'Etoile, N., see Komatsu, H. (821) 160
Levine, A.S., see Sweet, D.C. (821) 535
LeVine, S.M., Lynch, S.G., Ou, C.-N., Wulser, M.J., Tam, E. and Boo, N.
Ferritin, transferrin and iron concentrations in the cerebrospinal fluid of multiple sclerosis patients (821) 511
Liao, J.-F., see Chou, Y.-C. (821) 516
Lightman, S.L., see Martí, O. (821) 1
Lin, M.-F., see Chou, Y.-C. (821) 516
Litsky, M.L., Hohl, C.M., Lucas, J.H. and Jurkowitz, M.S.
Inosine and guanosine preserve neuronal and glial cell viability in mouse spinal cord cultures during chemical hypoxia (821) 426
Liu, L., Tsuji, M., Takeda, H., Takada, K. and Matsumiya, T.
Adrenocortical suppression blocks the enhancement of memory storage produced by exposure to psychological stress in rats (821) 134
Liu, P.L., see Ye, J.H. (821) 26
Löscher, W., see Gernert, M. (821) 277
Love, R.M., see Karlsson, J. (821) 546
Lucas, G.A., Hoffmann, O., Alster, P. and Wiesenfeld-Hallin, Z.
Extracellular cholecystokinin levels in the rat spinal cord following chronic morphine exposure: an in vivo microdialysis study (821) 79
Lucas, J.H., see Litsky, M.L. (821) 426
Lust, W.D., see Hoxworth, J.M. (821) 467
Lynch, S.G., see LeVine, S.M. (821) 511

Maayani, S., see Rehman, J. (821) 414
Madden, J.M., see Gill, C.F. (821) 251
Manzanares, J., see Martín, S. (821) 350
Martí, O., Harbuz, M.S., Andrés, R., Lightman, S.L. and Armario, A.
Activation of the hypothalamic-pituitary axis in adrenalectomised rats: potentiation by chronic stress (821) 1
Martín, S., Manzanares, J., Corchero, J., García-Lecumberri, C., Crespo, J.A., Fuentes, J.A. and Ambrosio, E.
Differential basal proenkephalin gene expression in dorsal striatum and nucleus accumbens, and vulnerability to morphine self-administration in Fischer 344 and Lewis rats (821) 350
Matsui, Y., see Tsuruoka, M. (821) 236
Matsumiya, T., see Liu, L. (821) 134
Matsuya, T., see Tanaka, S. (821) 190
McArdle, J.J., see Ye, J.H. (821) 26
Melman, A., see Rehman, J. (821) 414
Meti, B.L., see Shankaranarayana Rao, B.S. (821) 218
Michel, P.P., see Lambeng, N. (821) 60
Miescher, G.C., see Bruce, V. (821) 169
Milner, T.A., Rosin, D.L., Lee, A. and Aicher, S.A.
Alpha$_{2A}$-adrenergic receptors are primarily presynaptic heteroreceptors in the C1 area of the rat rostral ventrolateral medulla (821) 200
Mitchell, I.J., see Griffiths, M.R. (821) 177
Montagne-Clavel, J., see Rivot, J.-P. (821) 101
Morgan, J.I., see Ichikawa, H. (821) 231
Mori, I., see Komatsu, H. (821) 160
Moszczynska, A., see Ross, B.M. (821) 407
Murakami, N., see Ida, T. (821) 526
Murphy, P.R.
Adaptive fusimotor reflex control in the decerebrate cat (821) 38

Nakahara, K., see Ida, T. (821) 526
Nakamura, S., see Kawamoto, Y. (821) 341
Nakazato, M., see Ida, T. (821) 526
Naruse, M., see Harada, S. (821) 322

Nijholt, I., Blank, T., Grafelmann, B., Cepok, S., Kügler, H. and Spiess, J.
NS-257, a novel competitive AMPA receptor antagonist, interacts with kainate and NMDA receptors (821) 374
Nurhidayat, Tsukamoto, Y., Sigit, K. and Sasaki, F.
Sex differentiation of growth hormone-releasing hormone and somatostatin neurons in the mouse hypothalamus: an immunohistochemical and morphological study (821) 309

Oh, J.D., Vaughan, C.L. and Chase, T.N.
Effect of dopamine denervation and dopamine agonist administration on serine phosphorylation of striatal nmda receptor subunits (821) 433
Ohshima, Y., see Komatsu, H. (821) 160
Okuyama, S., Sakagawa, T., Chaki, S., Imagawa, Y., Ichiki, T. and Inagami, T.
Anxiety-like behavior in mice lacking the angiotensin II type-2 receptor (821) 150
Olivieri, G., see Bruce, V. (821) 169
Omori, K., see Yagyu, K. (821) 530
Ossenkopp, K.-P., see Galea, L.A.M. (821) 383
Ou, C.-N., see LeVine, S.M. (821) 511
Overton, J.M., see VanNess, J.M. (821) 263

Pérez-Pinzón, M.A., see Sick, T.J. (821) 400
Perrot-Sinal, T.S., see Galea, L.A.M. (821) 383
Pivovarov, A.S., Sharma, R. and Walker, R.J.
Structure–activity relationships of the *Helix* neuropeptide, SEPYLRFamide, and its N-terminally modified analogues on identified *Helix lucorum* neurones (821) 294
Proske, U., see Wise, A.K. (821) 87
Prosser, R.A., see Biggs, K.R. (821) 461
Prud'homme, M.-J., Houdeau, E., Serghini, R., Tillet, Y., Schemann, M. and Rousseau, J.-P.
Small intensely fluorescent cells of the rat paracervical ganglion synthesize adrenaline, receive afferent innervation from postganglionic cholinergic neurones, and contain muscarinic receptors (821) 141

Raja, S.N., see Fuchs, P.N. (821) 480
Rajendren, G. and Gibson, M.J.
Expression of galanin immunoreactivity in gonadotropin-releasing hormone neurons in mice: a confocal microscopic study (821) 270
Raju, T.R., see Shankaranarayana Rao, B.S. (821) 218
Rehman, J., Kaynan, A., Christ, G., Valcic, M., Maayani, S. and Melman, A.
Modification of sexual behavior of Long–Evans male rats by drugs acting on the 5-HT_{1A} receptor (821) 414
Ren, J., see Ye, J.H. (821) 26
Richter, A., see Gernert, M. (821) 277
Rivot, J.-P., Sousa, A., Montagne-Clavel, J. and Besson, J.-M.
Nitric oxide (NO) release by glutamate and NMDA in the dorsal horn of the spinal cord: an in vivo electrochemical approach in the rat (821) 101
Roberts, B.P., see Gill, C.F. (821) 251
Rockhold, R.W., see Jang, C.-G. (821) 520
Rosin, D.L., see Milner, T.A. (821) 200
Ross, B.M., Turenne, S., Moszczynska, A., Warsh, J.J. and Kish, S.J.
Differential alteration of phospholipase A_2 activities in brain of patients with schizophrenia (821) 407
Rousseau, J.-P., see Prud'homme, M.-J. (821) 141
Roza, C., see Fuchs, P.N. (821) 480
Ruberg, M., see Lambeng, N. (821) 60
Rush, S.J., see Brown, I.R. (821) 333

Sacchetti, B., see Baldi, E. (821) 503
Sakagawa, T., see Okuyama, S. (821) 150
Sapru, H.N., see Chitravanshi, V.C. (821) 443
Sarda, N., see Koubi, D. (821) 111
Sasaki, F., see Nurhidayat (821) 309
Schemann, M., see Prud'homme, M.-J. (821) 141
Schramm, J., see Friedl, M. (821) 117
Seeds, N.W., see Thewke, D.P. (821) 356
Serghini, R., see Prud'homme, M.-J. (821) 141
Shankaranarayana Rao, B.S., Lakshmana, M.K., Meti, B.L. and Raju, T.R.
Chronic (−) deprenyl administration alters dendritic morphology of layer III pyramidal neurons in the prefrontal cortex of adult Bonnett monkeys (821) 218
Sharma, R., see Pivovarov, A.S. (821) 294
Shupert, C.L., see Hlavacka, F. (821) 8
Sick, T.J., Tang, R. and Pérez-Pinzón, M.A.
Cerebral blood flow does not mediate the effect of brain temperature on recovery of extracellular potassium ion activity after transient focal ischemia in the rat (821) 400
Sigit, K., see Nurhidayat (821) 309
Soares-da-Silva, P., see Vieira-Coelho, M.A. (821) 69
Sobey, C.G., see Faraci, F.M. (821) 368
Sora, I., see Fuchs, P.N. (821) 480
Sousa, A., see Rivot, J.-P. (821) 101
Spiess, J., see Nijholt, I. (821) 374
Stimers, J.R., see Dobretsov, M. (821) 212
Sugimoto, T., see Ichikawa, H. (821) 231
Sweet, D.C., Levine, A.S., Billington, C.J. and Kotz, C.M.
Feeding response to central orexins (821) 535

Takada, K., see Liu, L. (821) 134
Takeda, H., see Liu, L. (821) 134
Tam, E., see LeVine, S.M. (821) 511
Tanaka, S., Kogo, M., Chandler, S.H. and Matsuya, T.
Localization of oral–motor rhythmogenic circuits in the isolated rat brainstem preparation (821) 190
Tang, R., see Sick, T.J. (821) 400
Tassoni, G., see Baldi, E. (821) 503
Thewke, D.P. and Seeds, N.W.
The expression of mRNAs for hepatocyte growth factor/scatter factor, its receptor c-*met*, and one of its activators tissue-type plasminogen activator show a systematic relationship in the developing and adult cerebral cortex and hippocampus (821) 356
Thornton, S.N., see Abdelmalek, A. (821) 50
Tillet, Y., see Prud'homme, M.-J. (821) 141
Tsuji, M., see Liu, L. (821) 134
Tsukamoto, Y., see Nurhidayat (821) 309
Tsuruoka, M., Hitoto, T., Hiruma, Y. and Matsui, Y.
Neurochemical evidence for inflammation-induced activation of the coeruleospinal modulation system in the rat (821) 236
Turenne, S., see Ross, B.M. (821) 407

Uhl, G., see Fuchs, P.N. (821) 480

Valcic, M., see Rehman, J. (821) 414
VanNess, J.M., DeMaria, J.E. and Overton, J.M.
Increased NPY activity in the PVN contributes to food-restriction induced reductions in blood pressure in aortic coarctation hypertensive rats (821) 263
Vaughan, C.L., see Oh, J.D. (821) 433
Vieira-Coelho, M.A. and Soares-da-Silva, P.
Effects of tolcapone upon soluble and membrane-bound brain and liver catechol-*O*-methyltransferase (821) 69

Walker, R.J., see Pivovarov, A.S. (821) 294
Warsh, J.J., see Ross, B.M. (821) 407
Weidenfeld, J., see Feldman, S. (821) 33
Wiesenfeld-Hallin, Z., see Lucas, G.A. (821) 79
Wise, A.K., Gregory, J.E. and Proske, U.
The responses of muscle spindles to small, slow movements in passive muscle and during fusimotor activity (821) 87
Woolf, N.J., Zinnerman, M.D. and Johnson, G.V.W.
Hippocampal microtubule-associated protein-2 alterations with contextual memory (821) 241
Woolf, N.J., Zinnerman, M.D. and Johnson, G.V.W.
Hippocampal microtubule-associated protein-2 alterations with contextual memory (821) 241
Wu, S.M., see Gao, F. (821) 487
Wulser, M.J., see LeVine, S.M. (821) 511

Xu, K., see Hoxworth, J.M. (821) 467

Yagyu, K., Kitagawa, K., Irie, T., Hattori, N., Omori, K. and Inagaki, C.
Lithium decreases Cl^-–ATPase activity and increases intracellular Cl^- concentration in cultured rat hippocampal neurons (821) 530
Ye, J.H., Ren, J., Krnjević, K., Liu, P.L. and McArdle, J.J.
Cocaine and lidocaine have additive inhibitory effects on the $GABA_A$ current of acutely dissociated hippocampal pyramidal neurons (821) 26

Zhou, Y., see Hoxworth, J.M. (821) 467
Zinnerman, M.D., see Woolf, N.J. (821) 241
Zinnerman, M.D., see Woolf, N.J. (821) 241